FLEXNZ Open Nationals 2025 Draft 3- North City Ten



Oil Pattern Distance Forward Oil Total Tank Configuration 44 12.685 mL Multi Tank Reverse Brush Drop Reverse Oil Total Tank A Conditioner 38 13.15 mL Fire Oil Per Board Volume Oil Total Tank B Conditioner Multi ul 25.835 mL Ice

1 2L 2R 3 50 14 A 111 0.0 3.9 3.9 5550 2 6L 6R 2 50 18 A 58 3.9 9.0 5.1 2900 3 7L 7R 1 50 26 A 27 9.0 12.6 3.6 1350 4 8L 8R 1 45 26 A 25 12.6 16.2 3.6 1125 5 9L 9R 1 40 26 A 23 16.2 19.8 3.6 920 6 10L 10R 1 40 30 A 21 19.8 24.0 4.2 840 7 2L 2R 0 50 30 A 0 24.0 44.0 20.0 0		START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
3 7L 7R 1 50 26 A 27 9.0 12.6 3.6 1350 4 8L 8R 1 45 26 A 25 12.6 16.2 3.6 1125 5 9L 9R 1 40 26 A 23 16.2 19.8 3.6 920 6 10L 10R 1 40 30 A 21 19.8 24.0 4.2 840	1	2L	2R	3	50	14	Α	111	0.0	3.9	3.9	5550
4 8L 8R 1 45 26 A 25 12.6 16.2 3.6 1125 5 9L 9R 1 40 26 A 23 16.2 19.8 3.6 920 6 10L 10R 1 40 30 A 21 19.8 24.0 4.2 840	2	6L	6R	2	50	18	Α	58	3.9	9.0	5.1	2900
5 9L 9R 1 40 26 A 23 16.2 19.8 3.6 920 6 10L 10R 1 40 30 A 21 19.8 24.0 4.2 840	3	7L	7R	1	50	26	Α	27	9.0	12.6	3.6	1350
6 10L 10R 1 40 30 A 21 19.8 24.0 4.2 840	4	8L	8R	1	45	26	Α	25	12.6	16.2	3.6	1125
	5	9L	9R	1	40	26	Α	23	16.2	19.8	3.6	920
7 2L 2R 0 50 30 A 0 24.0 44.0 20.0 0	6	10L	10R	1	40	30	Α	21	19.8	24.0	4.2	840
	7	2L	2R	0	50	30	Α	0	24.0	44.0	20.0	0

2 13L 13R 1 50 26 B 15 31.0 27.4 -3.6 75 3 12L 12R 1 50 26 B 17 27.4 23.8 -3.6 85 4 11L 11R 1 50 22 B 19 23.8 20.7 -3.1 95 5 10L 10R 1 50 22 B 21 20.7 17.6 -3.1 105 6 9L 9R 2 50 22 B 46 17.6 11.4 -6.2 230 7 8L 8R 2 50 14 B 50 11.4 7.5 -3.9 250 8 6L 6R 2 50 10 B 58 7.5 4.7 -2.8 290 9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185		START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
3 12L 12R 1 50 26 B 17 27.4 23.8 -3.6 85 4 11L 11R 1 50 22 B 19 23.8 20.7 -3.1 95 5 10L 10R 1 50 22 B 21 20.7 17.6 -3.1 105 6 9L 9R 2 50 22 B 46 17.6 11.4 -6.2 230 7 8L 8R 2 50 14 B 50 11.4 7.5 -3.9 250 8 6L 6R 2 50 10 B 58 7.5 4.7 -2.8 290 9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185	1	2L	2R	0	50	30	В	0	44.0	31.0	-13.0	0
4 11L 11R 1 50 22 B 19 23.8 20.7 -3.1 95 5 10L 10R 1 50 22 B 21 20.7 17.6 -3.1 105 6 9L 9R 2 50 22 B 46 17.6 11.4 -6.2 230 7 8L 8R 2 50 14 B 50 11.4 7.5 -3.9 250 8 6L 6R 2 50 10 B 58 7.5 4.7 -2.8 290 9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185	2	13L	13R	1	50	26	В	15	31.0	27.4	-3.6	750
5 10L 10R 1 50 22 B 21 20.7 17.6 -3.1 105 6 9L 9R 2 50 22 B 46 17.6 11.4 -6.2 230 7 8L 8R 2 50 14 B 50 11.4 7.5 -3.9 250 8 6L 6R 2 50 10 B 58 7.5 4.7 -2.8 290 9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185	3	12L	12R	1	50	26	В	17	27.4	23.8	-3.6	850
6 9L 9R 2 50 22 B 46 17.6 11.4 -6.2 230 7 8L 8R 2 50 14 B 50 11.4 7.5 -3.9 250 8 6L 6R 2 50 10 B 58 7.5 4.7 -2.8 290 9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185	4	11L	11R	1	50	22	В	19	23.8	20.7	-3.1	950
7 8L 8R 2 50 14 B 50 11.4 7.5 -3.9 250 8 6L 6R 2 50 10 B 58 7.5 4.7 -2.8 290 9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185	5	10L	10R	1	50	22	В	21	20.7	17.6	-3.1	1050
8 6L 6R 2 50 10 B 58 7.5 4.7 -2.8 290 9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185	6	9L	9R	2	50	22	В	46	17.6	11.4	-6.2	2300
9 2L 2R 1 50 10 B 37 4.7 3.3 -1.4 185	7	8L	8R	2	50	14	В	50	11.4	7.5	-3.9	2500
	8	6L	6R	2	50	10	В	58	7.5	4.7	-2.8	2900
10 2L 2R 0 50 10 B 0 3.3 0.0 -3.3	9	2L	2R	1	50	10	В	37	4.7	3.3	-1.4	1850
	10	2L	2R	0	50	10	В	0	3.3	0.0	-3.3	0

Cleaner Ratio Main Mix 6:1
Cleaner Ratio Back End Mix 6:1
Cleaner Ratio Back End Distance 59
Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

6:1 Forward6:1 Reverse59 Combined

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Mlddle: Inside	Middle:Middle	Middle:Outside
Track Zone Patio	3.36	123	1	1	123	3.36



